NAPCO StarLink Communicator Compliance Summary

COMMUNICATOR MODEL		UL 1023 Residential Burg	UL 985 Household Fire	UL 864 10th Ed. Commercial Fire	UL 1610 or UL 2610 where applicable Commercial Intrusion	FDNY COA	CSFM	LAFD Sole Path	NFPA 72 Editions
SLE-MAXA **SLE-MAXV**	**Commercial / Residential Bur-glary and Residential Fire Communicator,** SIM card in-cluded. Black plastic enclosure	✓	✓	N/A	✓	N/A	N/A	✓ (LTEV only)	2007, 2010, 2013, 2016, 2019
SLE-MAXV-CB **SLE-MAXA-CB**	**Commercial / Residential Burglary and Residential Fire Communicator** in white metal housing. Powered directly from control panel (no power supply, no transformer)	✓	✓	N/A	✓	N/A	N/A	✓ (LTEV only)	2007, 2010, 2013, 2016, 2019
SLE-MAXV-CBTF **SLE-MAXA-CBTF**	**Commercial / Residential Burglary and Residential Fire Communicator** in white metal housing with SLE-ULPS-R pow-er supply and TRF12/T123 plug -in 16.5V / 20VA transformer	✓	✓	N/A	✓	N/A	N/A	✓ (LTEV only)	2007, 2010, 2013, 2016, 2019
SLE-MAXVI-CFB **SLE-MAXAI-CFB**	**Commercial / Residential Fire / Burglary CAT-M1 TCP/ IP Communicators** in red met-al housing	✓	✓	✓	✓	✓ (2021-TMCOAP-011169-CERT)	✓ 7300-0992:0503	(Dual Path does not require LAFD evaluation)	2007, 2010, 2013, 2016, 2019
SLE-MAXVI-FIRE **SLE-MAXAI-FIRE**	**Commercial / Residential Fire / Burglary CAT-M1 alarm capture Communicator**. SIM card included. Red plastic en-closure. Rated nominal 12/24VDC input	✓	✓	✓	✓	✓ (2021-TMCOAP-011169-CERT)	✓ 7300-0992:0503	(Dual Path does not require LAFD evaluation)	2007, 2010, 2013, 2016, 2019

NAPCO StarLink Communicator Compliance Summary

COMMUNICATOR MODEL		UL 1023 Residential Burg	UL 985 Household Fire	UL 864 10th Ed. Commercial Fire	UL 1610 or UL 2610 where applicable Commercial Intrusion	FDNY COA	CSFM	LAFD Sole Path	NFPA 72 Editions
SLE-MAXVI-CFBPS **SLE-MAXAI-CFBPS**		**Commercial / Residential Fire / Burglary CAT-M1 TCP/IP Communicators** in red metal housing with SLE-ULPS-R power supply and 16.5V / 20VA transformer mounted inside housing	✓	✓	✓	✓	✓ (2021-TMCOAP-011169-CERT)	✓ 7300-0992:0503	(Dual Path does not require LAFD evaluation)	2007, 2010, 2013, 2016, 2019
SLE-MAXA-C **SLE-MAXV-C**		**Network Compatible CAT-M1 alarm capture communicator**, SIM card included. White plastic enclosure	✓	✓	**N/A**	✓	✓ (2021-TMCOAP-011169-CERT)	✓ 7300-0992:0144	**N/A**	2007, 2010, 2013, 2016, 2019
SLE-MAXV-Z **SLE-MAXA-Z**		**Network Compatible CAT-M1 alarm capture communicator**, SIM card included. Includes the SLE-ZWAVE-MOD Z-Wave module. White plastic enclosure	✓	✓	**N/A**	✓	✓ (2021-TMCOAP-011169-CERT)	✓ 7300-0992:0144	**N/A**	2007, 2010, 2013, 2016, 2019
SLE-MAX2-CFB		Commercial / Residential Fire / Burglary CAT-M1 TCP/IP Communicators in red metal housing	✓	✓	✓	✓	**Not yet submitted for approval**	**Not yet submitted for approval**	(Dual Path does not require LAFD evaluation)	2007, 2010, 2013, 2016, 2019
SLE-MAX2-CFBPS		Commercial / Residential Fire / Burglary CAT-M1 TCP/IP Communicators in red metal housing with SLE-ULPS-R power supply and 16.5V / 20VA transformer mounted inside housing	✓	✓	✓	✓	**Not yet submitted for approval**	**Not yet submitted for approval**	(Dual Path does not require LAFD evaluation)	2007, 2010, 2013, 2016, 2019

NAPCO StarLink Communicator Compliance Summary

COMMUNICATOR MODEL			UL 1023 Residential Burg	UL 985 Household Fire	UL 864 10th Ed. Commercial Fire	UL 1610 or UL 2610 where applicable Commercial Intrusion	FDNY COA	CSFM	LAFD Sole Path	NFPA 72 Editions
SLE-MAX2-FIRE		Commercial / Residential Fire / Burglary CAT-M1 alarm capture Communicator. SIM cards are included. Red plastic enclosure. Rated nominal 12/24VDC input	✓	✓	✓	✓	**Not yet submitted for approval**	**Not yet submitted for approval**	(Dual Path does not require LAFD evaluation)	2007, 2010, 2013, 2016, 2019
SLE-FNI-FIRE		Commercial / Residential Fire LTE Network Compatible alarm capture Communicator. SIM card included. Red plastic enclosure. Rated nominal 12/24VDC input.	✓	✓	✓	✓	✓ (2021-TMCOAP-011169-CERT)	✓ 7300-0992:0144	(Dual Path does not require LAFD evaluation)	2007, 2010, 2013, 2016, 2019
SLE-FNI-CFB		Commercial / Residential Fire LTE Radio- TCP/IP Communi-cator in red metal housing. Powered directly from control panel Aux/Remote Fire Power (no power supply, no transformer, rated nominal 12/24VDC input)	✓	✓	✓	✓	✓ (2021-TMCOAP-011169-CERT)	✓ 7300-0992:0144	(Dual Path does not require LAFD evaluation)	2007, 2010, 2013, 2016, 2019
SLE-FNI-CFB-PS		Commercial / Residential Fire LTE Radio-TCP/IP Communica-tor in red metal housing with SLE-ULPS-R power supply and 16.5V / 20VA transformer mounted inside housing	✓	✓	✓	✓	✓ (2021-TMCOAP-011169-CERT)	✓ 7300-0992:0144	(Dual Path does not require LAFD evaluation)	2007, 2010, 2013, 2016, 2019