



- Schools & Campuses
- Houses of Worship
- Retail
- Offices
- Apartments/Co-ops/
Condominiums
- High-Rise Buildings
- Manufacturing
- Construction Projects
- Sprinkler System Monitoring
- High-Rise Evacuation
- Fire Watch Mitigation



Fire System Solutions

Addressable • Conventional • Commercial Wireless

COMMERCIAL GRADE

NAPCO Commercial Firewolf 24V Fire System Solutions Available in 32, 128 and 255 Point

Flexible for All Budgets & Applications
Addressable • Conventional • Commercial Wireless


**Addressable, conventional &/or commercial
wireless, 32pts. Model GEMC-FW-32KT**

- All onboard! 2 NAC circuits for 4Amps of notification power, dual DACT & Horn/Strobe Synch Modules
- New Quick Start Fire-Only Programming Template, Device Discovery & Auto ID by Loop plus Fast Track Diagnostics get system up online faster and flawlessly every time
- Supports wireless fire devices for huge savings & simultaneously supports 12V conventional devices for retrofits!
- NFPA72 9th Ed, UL 864 9th Ed., CFM, NY FD, etc.

Complete with Custom Alpha GEMC-FK1 Fire Annunciator!



Save on Labor Costs with UL Commercial Wireless Fire & Win More Commercial Account Bids



For Firewolf Fire Systems (and GEMC-Series Integrated Systems with Intrusion)

Cut time & wire, with Commercial Wireless used amidst any NAPCO Commercial Fire or Integrated System, with addressable and conventional devices. Ideal for Merchantile applications.

- GEMCREVC - Wireless 255 point RF Receiver
- GEMCWLSMK - Wireless Smoke, Photoelectric
- GEMCWLHEAT - Wireless Heat, 135 Degrees F
- GEMCWLWD2 - Wireless Input module
- GEMCWLPIR - Wireless 50' PIR
- GEMCWLGB - Wireless Glassbreak
- GEMCWLDT - Wireless 40' Dual Technology Motion Detector
- GEMCWLCO - Wireless Carbon Monoxide Detector

PROFESSIONAL QUALITY

Firewolf 32pt Conventional Fire System Solutions

Flexible for All Budgets & Applications
Addressable • Conventional • Commercial Wireless

Ideal for Sprinkler/Waterflow
Model GEMC-FW-32CNVKT

- 24V Panel, 32 Points, 2 NAC circuits with 4Amps of Notification Power; Onboard horn/strobe synch; Dual DACT, 2 serial ports
- 8ea. 2-wire fire input zones, expandable to 32 via conventional, addressable and/or wireless
- Includes Menu-Driven Fire Annunciator, mounts anywhere on bus



Network & Wireless Communication Options



Internet/Intranet Module for Local Alarm Reporting

- Speeds Response for Added Life Safety
- Saves on Phone Lines/Charges
- Merchantile Applications

NetLink Module, Model GEMC-NLMOD, not shown.

StarLink Universal Sole Path Fire Cellular Communicators, for any 12V-24V FACP

- Universal CDMA Network full event cellular reporting from any panel brand, virtually anywhere.
- For use with all 12V-24V control panels and FACP's that communicate using Contact ID/4/2.
- Easiest 4-Wire Installation & Activation - Just Enter a Radio ID, Dialer Capture completes all (no entering phones nos., formats, account nos.)
- Reports to any Central Station via GSM 3/4G or CDMA (Verizon Network Certified) Models SLE-GSM-FIRE & SLE-CDMA-FIRE, respectively
- UL Listed. Meets or exceeds code: COMPLIANCES: NFPA72 Editions: 2013, 2010, 2007; UL 864, 9th Ed., UL1610, UL985, UL1023, UL1635

Merchantile Model SLECDMA-CFB, shown above

StarLink is also available in merchantile version with provision for battery backup - or - with power supply, Model SLECDMA-CFB-PS






NAPCO Commercial GEMC Integrated System Solutions for Fire/Intrusion/Access

Flexible for All Budgets & Applications

Optionally Add On Intrusion &/or Modular Access Control Model GEMCCOMBO128KT - 128 Pts Addressable, Conventional & Wireless for any combination of fire and/or optional intrusion devices

- Comprehensive Code Compliance - NFPA72 9th Ed, UL 864 9th Ed., SIA – with 100% Pre-isolated fire and intrusion circuits
- 24V Panel, 7A Power Supply, 128pts addressable, wireless or conventional devices, 8 areas, 4 onboard NACs with onboard horn/ strobe sync, dual DACT
- Large Rugged Locking, Red Enclosure, flush or surface mount. Holds 32Ah batteries. (Burglary Keypad GEMC-BK1 purchased separately.)

FIREWOLF® FIRE SYSTEM CONFIGURATION OPTIONS:



Full Submittal Sheets & CSI Specs Available Online

Amityville, NY • USA • 1-800-645-9445 • Fax: 631-789-9292
 commercialsales@napcosecurity.com • www.napcosecurity.com

A657B

