



## NAPCO iBridge System List of Evaluated Z-Wave Devices



Updated 10/22/13

The following list of Z-Wave devices have been evaluated for iBridge system compatibility

Device	Model Number	Beaming (Note 1)	Z-Wave Protocol Version of Device	Specs	iBridge Compatible?	Notes
--------	--------------	---------------------	--	-------	------------------------	-------

### THERMOSTATS

In Touch	CA8900				YES	
Honeywell	YTH8320ZW1007				YES	Instructions indicate model # YTH8320ZW1000
Radio Thermostat Co. of America	CT30				YES	
Interlogix	IS-ZW-TSTAT-300				YES	
RCS	TBZ48				YES	

### LOCKS

Schlage	FE599NX CAM 619 ACC	Yes	4.5x		YES	Lever
Schlage	BE369NX CAM 619	Yes	4.5x		YES	Deadbolt
Kwikset	910TRL ZW 15 SMT	Yes	4.5x		YES	Deadbolt
Kwikset	912TNL TRL ZW 15 SMT	Yes	4.5x		YES	Lever
Yale	YRDD220-619-ZW-xxxx	Yes	4.5x		YES	Deadbolt - Touchscreen
Yale	YRDD210-619-ZW-xxxx	Yes	4.5x		YES	Deadbolt - Pushbutton

### SWITCH RECEPTACLES (In Wall)

GE	46505				YES	
GE JASCO	ZW1001 (45605)	Yes	4.5x/6.0x	15A	YES	
JASCO	45705 (45605WB)	Yes	4.5x	15A	YES	
Leviton	VRR15-1LZ	No	2.0	15A	YES	
In Touch	CA3500	No	2.0	15A	YES	Does not default in All ON/All OFF mode
Evolve	LOM-15	Yes	4.5x/6.0x	15A	YES	
Linear	WO15Z-1	Yes	4.55	15A	YES	

### DIMMER MODULES (Plug In)

Home Settings	HA03	No	2.0	300W	YES	
GE JASCO	ZW3101 (*45602)	Yes	4.5x/6.0x	300W	YES	
GE JASCO	ZW3101	Yes	5.0x/4.2x	300W	YES	
GE	45602	Yes	4.5x	300W/15A	YES	
JASCO	45602WB	Yes	4.5x	300W/15A	YES	
Leviton	VRP03-1LW	Yes	4.5x/6.0x	300W	YES	
Evolve	LDM-15	Yes	4.5x/6.0x	300W	YES	
Linear	PD300Z-1	Yes	4.55	300W	YES	



## NAPCO iBridge System List of Evaluated Z-Wave Devices



Device	Model Number	Beaming (Note 1)	Z-Wave Protocol Version of Device	Specs	iBridge Compatible?	Notes
--------	--------------	---------------------	--	-------	------------------------	-------

### WALL DIMMERS

In Touch	CA600	No	2.0	40W min	YES	Cannot communicate with no load
GE JASCO	ZW3003 (*45612)	Yes	4.5x/6.0x	600W	YES	Line/Load/Gnd - Cannot communicate with no load
GE	45612	Yes	4.5x	600W	YES	Line/Load/Gnd - Cannot communicate with no load
JASCO	45612WB	Yes	4.5x	600W	YES	Line/Load/Gnd - Cannot communicate with no load
Leviton	VRI06-1LZ	No	2.0	40W min	YES	Line/Load/Gnd - Cannot communicate with no load
Evolve	LRM-1000	Yes	4.5x/6.0x	1000W	YES	Line/Neutral/Load/Gnd
Linear	WD1000Z-1	Yes	4.55	1000W	YES	Line/Neutral/Load/Gnd
Evolve	LRM-AS	Yes	4.5x/6.0x	500 W	YES	Line/Neutral/Load/Gnd
Linear	WD500Z-1	Yes	4.55	500 W	YES	Line/Neutral/Load/Gnd
Evolve	LTM-5	Yes	4.5x/6.0x	Cannot Drive Load	YES	Use with LRM-AS for use in 3-way (or greater) circuits via Association.
Linear	WT00Z-1	Yes	4.55	Cannot Drive Load	YES	Use with WD500Z-1 for use in 3-way (or greater) circuits via Association.

### APPLIANCE SWITCH MODULES

GE JASCO	ZW4101 (*45603)	Yes	5.0x/4.2x	600W	YES	
GE	45603	Yes	4.5x	600W/15A	YES	
GE	45604		5.0x/4.5x	600W/15A	YES	For Outdoor Use
JASCO	45603WB	Yes	4.5x	600W/15A	YES	
JASCO	45704 (45604WB)		4.5x	600W/15A	YES	For Outdoor Use
Home Settings	HA02	No	2.0	1000W	YES	
Home Settings	HA04				YES	For Outdoor Use
Leviton	RZP15-1LW	No	2.0	15A	YES	
Evolve	LPM-15	Yes	4.5x/6.0x	300W	YES	
Linear	PS15Z-1	Yes	4.55	300W	YES	

### WALL SWITCHES

Intermatic	CA3000	No	2.0	15A	YES	Line/Neutral/Load/Gnd
Leviton	VRS15-1LZ	No	2.0	15A	YES	Line/Neutral/Load/Gnd
Leviton	VRS05-1LX	No	2.0	5A	YES	Line/Load/Gnd
GE JASCO	ZW4001 (*45609)	Yes	4.5x/6.0x	960W	YES	Line/Neutral/Load/Gnd
GE	45609	Yes	4.5x	960W	YES	Line/Neutral/Load/Gnd
JASCO	45609WB	Yes	4.5x	960W	YES	Line/Neutral/Load/Gnd



## NAPCO iBridge System List of Evaluated Z-Wave Devices



Device	Model Number	Beaming (Note 1)	Z-Wave Protocol Version of Device	Specs	iBridge Compatible?	Notes
--------	--------------	---------------------	--	-------	------------------------	-------

### WALL SWITCHES

JASCO	45610WB		N/A		YES	Auxiliary switch - <u>not for direct control of loads</u> , used only for 3-way (or greater) installs with 45609WB or 45612WB (can also be used with 45609 or 45612) / use max three 45610WB's.
Evolve	LSM-15	Yes	4.5x/6.0x	15A	YES	Line/Neutral/Load/Gnd
Linear	WS15Z-1	Yes	4.55	15A	YES	Line/Neutral/Load/Gnd

### SCREW IN LAMP MODULES

Home Settings	HA05	No	2.0		YES	
---------------	------	----	-----	--	-----	--

### REMOTE CONTROLS

Jasco (GE)	45601				YES	
GE	45600		4.2x		YES	Controls Z-Wave certified lighting controls only.
GE	45601		4.2x		YES	Controls Z-Wave certified lighting controls and one HVAC thermostat.
GE	45633		6.0x		YES	Controls Z-Wave certified lighting controls, up to 4 HVAC thermostats, and up to 6 door locks.

### CEILING FAN MODULES

Leviton	VRF01-1LZ	No	2.0		YES	Includes as a dimmer. Tested with Lamp. Stepped output, not continuously variable
---------	-----------	----	-----	--	-----	---

### WALL SCENE CONTROLLER

Leviton	VRCZ4-M0Z				YES	Includes into system as a controller. Evaluating functionality
GE	45631		5.0x		YES	Functions as secondary controller; not hard-wired.

#### Note 1:

Beaming is a Z-Wave status message sent by a Z-Wave device that is used to "wake up" non-AC powered devices such as door locks. For installations that include Z-Wave door locks, the Z-Wave device(s) in the mesh network must support beaming in order for the door locks to function properly.